

STN Search

09/857, 465

b7D
4/10/06

=> d his full

(FILE 'HOME' ENTERED AT 13:38:52 ON 10 APR 2006)

FILE 'REGISTRY' ENTERED AT 13:39:28 ON 10 APR 2006

L1 STRUCTURE UPLOADED
D QUERY
L2 50 SEA SSS SAM L1
L3 STRUCTURE UPLOADED
D QUERY
L4 50 SEA SSS SAM L3
L5 3577 SEA SSS FUL L3

FILE 'CAPLUS' ENTERED AT 13:42:10 ON 10 APR 2006

L6 1232 SEA ABB=ON PLU=ON L5
D L6 1200-1232 ABS IBIB
D L6 1200-1232 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 13:44:33 ON 10 APR 2006

L7 STRUCTURE UPLOADED
D QUERY
L8 50 SEA SSS SAM L7
L9 1966 SEA SSS FUL L7

FILE 'CAPLUS' ENTERED AT 13:45:26 ON 10 APR 2006

L10 335 SEA ABB=ON PLU=ON L9
D L10 300-335 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 13:57:31 ON 10 APR 2006

L11 STRUCTURE UPLOADED
D QUERY
L12 1 SEA SSS SAM L11
L13 219 SEA SSS FUL L11

FILE 'CAPLUS' ENTERED AT 13:59:53 ON 10 APR 2006

L14 62 SEA ABB=ON PLU=ON L13
D L14 50-62 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 14:08:04 ON 10 APR 2006

L15 STRUCTURE UPLOADED
D QUERY
L16 0 SEA SSS SAM L15
L17 STRUCTURE UPLOADED
D QUERY
L18 0 SEA SSS SAM L17
L19 145 SEA SSS FUL L17

FILE 'CAPLUS' ENTERED AT 14:09:27 ON 10 APR 2006

L20 84 SEA ABB=ON PLU=ON L19
D L20 50-84 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 14:18:10 ON 10 APR 2006

L21 STRUCTURE UPLOADED
L22 STRUCTURE UPLOADED
D QUERY
L23 0 SEA SSS SAM L22
L24 65 SEA SSS FUL L22

FILE 'CAPLUS' ENTERED AT 14:18:44 ON 10 APR 2006

L25 24 SEA ABB=ON PLU=ON L24

D L25 1-24 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 14:24:37 ON 10 APR 2006
L26 STRUCTURE UPLOADED
D QUERY
L27 7 SEA SSS SAM L26
L28 5782 SEA SSS FUL L26

FILE 'CAPLUS' ENTERED AT 14:29:33 ON 10 APR 2006
L29 1051 SEA ABB=ON PLU=ON L28
D L29 1000-1051 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 14:34:11 ON 10 APR 2006
L30 STRUCTURE UPLOADED
D QUERY
L31 7 SEA SSS SAM L30
L32 5758 SEA SSS FUL L30

FILE 'CAPLUS' ENTERED AT 14:35:28 ON 10 APR 2006
L33 1050 SEA ABB=ON PLU=ON L32

FILE 'REGISTRY' ENTERED AT 14:36:09 ON 10 APR 2006
L34 STRUCTURE UPLOADED
D QUERY
L35 6 SEA SSS SAM L34
L36 4857 SEA SSS FUL L34

FILE 'CAPLUS' ENTERED AT 14:36:44 ON 10 APR 2006
L37 864 SEA ABB=ON PLU=ON L36
D L37 800-864 ABS IBIB HITSTR

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 9 APR 2006 HIGHEST RN 879846-78-3
DICTIONARY FILE UPDATES: 9 APR 2006 HIGHEST RN 879846-78-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and

predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 10 Apr 2006 VOL 144 ISS 16

FILE LAST UPDATED: 9 Apr 2006 (20060409/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>


=> d l1
L1 HAS NO ANSWERS
L1 STR



G1 H, F

Structure attributes must be viewed using STN Express query preparation.


=> d l3
L3 HAS NO ANSWERS
L3 STR



G1 H, F

Structure attributes must be viewed using STN Express query preparation.


=> d l7
L7 HAS NO ANSWERS
L7 STR



G1 H, F

Structure attributes must be viewed using STN Express query preparation.


=> d l11
L11 HAS NO ANSWERS
L11 STR



G1 H, F

Structure attributes must be viewed using STN Express query preparation.


=> d l15
L15 HAS NO ANSWERS
L15 STR



G1 H, F

Structure attributes must be viewed using STN Express query preparation.


=> d l17
L17 HAS NO ANSWERS
L17 STR



G1 H, F

Structure attributes must be viewed using STN Express query preparation.

=> d l21
L21 HAS NO ANSWERS
L21 STR




G1 H, F

Structure attributes must be viewed using STN Express query preparation.

=> d 122

L22 HAS NO ANSWERS

L22 STR




G1 H, F

Structure attributes must be viewed using STN Express query preparation.

=> d 126

L26 HAS NO ANSWERS

L26 STR



G1 H, F

G2 C, H

G3 C, X

G4 X, C


Structure attributes must be viewed using STN Express query preparation.

=> d 130

L30 HAS NO ANSWERS

L30

STR



G1 H, F

G2 C, H

G3 C, X


G4 X, C

Structure attributes must be viewed using STN Express query preparation.

=> d l34

L34 HAS NO ANSWERS

L34 STR



G1 H, F

G2 C, H

G3 C, X

G4 X, C

Structure attributes must be viewed using STN Express query preparation.

=> d his full

(FILE 'HOME' ENTERED AT 16:07:22 ON 10 APR 2006)

FILE 'REGISTRY' ENTERED AT 16:07:32 ON 10 APR 2006

L1 STRUCTURE UPLOADED
 D QUERY
L2 0 SEA SSS SAM L1
L3 0 SEA EXA SAM L1
L4 0 SEA EXA FUL L1
L5 STRUCTURE UPLOADED
 D QUERY
L6 0 SEA SSS SAM L5
L7 5 SEA SSS FUL L5

FILE 'CAPLUS' ENTERED AT 16:08:59 ON 10 APR 2006

L8 3 SEA ABB=ON PLU=ON L7
 D L8 1-3 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 16:10:05 ON 10 APR 2006

L9 STRUCTURE UPLOADED
 D QUERY
L10 0 SEA SSS SAM L9
L11 5 SEA SSS FUL L9

FILE 'CAPLUS' ENTERED AT 16:10:26 ON 10 APR 2006

L12 22 SEA ABB=ON PLU=ON L11
 D L12 1-22 ABS IBIB HITSTR
 D L12 1-22 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 16:11:58 ON 10 APR 2006

L13 STRUCTURE UPLOADED
 D QUERY
L14 0 SEA SSS SAM L13
L15 8 SEA SSS FUL L13

FILE 'CAPLUS' ENTERED AT 16:13:12 ON 10 APR 2006

L16 6 SEA ABB=ON PLU=ON L15
 D L16 1-6 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 16:14:30 ON 10 APR 2006

L17 STRUCTURE UPLOADED
 D QUERY
L18 0 SEA SSS SAM L17
L19 9 SEA SSS FUL L17

FILE 'CAPLUS' ENTERED AT 16:14:59 ON 10 APR 2006

L20 7 SEA ABB=ON PLU=ON L19
 D L20 1-7 ABS IBIB HITSTR

FILE 'REGISTRY' ENTERED AT 16:16:58 ON 10 APR 2006

L21 STRUCTURE UPLOADED
 D QUERYU
 D QUERY
L22 0 SEA SSS SAM L21
L23 5 SEA SSS FUL L21

FILE 'CAPLUS' ENTERED AT 16:17:29 ON 10 APR 2006

L24 4 SEA ABB=ON PLU=ON L23
 D L24 1-4 ABS IBIB HITSTR

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 9 APR 2006 HIGHEST RN 879846-78-3

DICTIONARY FILE UPDATES: 9 APR 2006 HIGHEST RN 879846-78-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 10 Apr 2006 VOL 144 ISS 16

FILE LAST UPDATED: 9 Apr 2006 (20060409/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>


=> d 11
 L1 HAS NO ANSWERS
 L1 STR



G1 H,F
 G2 C,H
 G3 C,X
 G4 X,C

Structure attributes must be viewed using STN Express query preparation.


=> d 15
 L5 HAS NO ANSWERS
 L5 STR



G1 H,F
 G2 C,H
 G3 C,X
 G4 X,C

Structure attributes must be viewed using STN Express query preparation.

=> d 19
 L9 HAS NO ANSWERS
 L9 STR



G1 H, F

G2 C, H

G3 C, X


G4 X, C

Structure attributes must be viewed using STN Express query preparation.

=> d 113

L13 HAS NO ANSWERS

L13 STR



G1 H, F

G2 C, H

G3 C, X


G4 X, C

Structure attributes must be viewed using STN Express query preparation.

=> d 117

L17 HAS NO ANSWERS


L17 STR



G1 H,F
G2 C,H
G3 C,X
G4 X,C

Structure attributes must be viewed using STN Express query preparation.

=> d l21
L21 HAS NO ANSWERS
L21 STR



G1 H,F
G2 C,H
G3 C,X
G4 X,C

Structure attributes must be viewed using STN Express query preparation.